

LOADING DOCK REQUIREMENTS


UNITED HOIST EQUIPMENT, INC.

4301 N 40TH ST, TAMPA, FLORIDA 33610

ACCESS DOOR
WITH ENTRY
LOCK.
SEE
"SIDE/BACKVIEW"
DRAWING


alternate
location of
access door.

NOTE: SKETCH IS
FOR
ORIENTATION
FOR G.C. OF
BASIC
REQUIREMENTS



UNITED HOIST EQUIPMENT, INC

4301 N 40TH ST, TAMPA, FL 33610



10' TALL FROM ANY STANDING POINT

NOTE: SKETCH IS FOR ORIENTATION, FOR G.C. OF BASIC REQUIREMENTS

DOOR WITH LOCKING DEVICE UHEI WILL SUPPLY ELECTRICAL INTERLOCK THAT WHEN OPEN, WILL DISABLE HOIST.

COMPLETELY ENCLOSED WITH 3/4" PLYWOOD OR EQUIVALENT

GROUND ENCLOSURE REQUIREMENTS(SIDE/BACK VIEW)

ALL WALLS ARE TO MEET THESE REQUIREMENTS. HOWEVER ONLY ONE OF THE THREE ENCLOSURE WALLS ARE TO HAVE DOOR. LOADING DOCK IS USED FOR 4TH WALL, TO COMPLETELY ENCLOSE BASE OF HOIST.